Available online at www.sciencedirect.com
SCIENCE DIRECT®
ELSEVIER
Nuclear Instruments and Methods in Physics Research B 237 (2005) 671–683
NIM B
Beam Interactions with Materials & Atoms
www.elsevier.com/locate/nimb

Author index

Abo, S., S. Ichihara, T. Lohner, F. Wakaya, T. Eimori, Y. Inoue and M. Takai, Dopant profiling of ultra shallow As implanted in Si with and without spike annealing using medium energy ion scattering 237 (2005) 72
Adachi, K., see Ishikawa, J. 237 (2005) 422
Agaphonov, Yu.A., see Vyatkin, A.F. 237 (2005) 179
Agarwal, A., see Jiang, Y.-L. 237 (2005) 160
Ahmed, S., J. Lin, A. Haq and B. Sealy, Implantation induced electrical isolation of sulphur doped GaN_xAs_{1-x} layers 237 (2005) 102
Aiba, I., see Sasaki, Y. 237 (2005) 41
Aitken, D., Very high uniformity mass analysed large area ion implantation 237 (2005) 250
Al-Bayati, A., see Graoui, H. 237 (2005) 46
Al-Bayati, A., see Thirupapuliyur, S. 237 (2005) 98
Al-Bayati, A., see Pipes, L. 237 (2005) 330
Ali, S., see Howle, C.R. 237 (2005) 656
Aoyama, T., see Hamamoto, N. 237 (2005) 443
Arai, H., see Imanaka, M. 237 (2005) 647
Arai, I., see Imanaka, M. 237 (2005) 647
Arai, N., see Ishikawa, J. 237 (2005) 422
Arevalo, E.A., see Liebert, R.B. 237 (2005) 365
Armour, D.G., see Mefo, J. 237 (2005) 245
Armour, D.G., see Wooding, A.C. 237 (2005) 273
Asaji, T., see Tomida, M. 237 (2005) 83
Asaji, T., see Kato, Y. 237 (2005) 256
Asaji, T., H. Sasaki, H. Furuki, Y. Kato, S. Ishii, M. Kanazawa and J. Saito, An ECR ion source directly excited in a selected microwave mode cavity resonator for material processing 237 (2005) 262

Bambole, V.A., see Bhat, N.V. 237 (2005) 585
Baragiola, R.A., Invited review: Some challenging unsolved problems in atomic collisions in solids 237 (2005) 520
Barozzi, M., see Gennaro, S. 237 (2005) 88
Bauer, A.J., see Rambach, M. 237 (2005) 68
Benjamin, M.C., R.J. Hillard and J.O. Borland, Ultra-shallow junction (USJ) sheet resistance measurements with a non-penetrating four point probe 237 (2005) 351
Benson, J., see Dilliway, G.D.M. 237 (2005) 131
Bera, S., see Kumar, S. 237 (2005) 623
Berg, J.v.d., see Herden, M. 237 (2005) 203
Bersani, M., see Gennaro, S. 237 (2005) 88
Bersani, M., see Hamilton, J.J. 237 (2005) 107
Bersani, M., see Herden, M. 237 (2005) 203
Bettiol, A.A., see Mistry, P. 237 (2005) 188
Bhat, N.V., M.M. Nate, M.B. Kurup, V.A. Bambole and S. Sabharwal, Effect of γ-radiation on the structure and morphology of polyvinyl alcohol films 237 (2005) 585
Biswas, S., see Gwilliam, R. 237 (2005) 121
Blackwood, D.J., see Mistry, P. 237 (2005) 188
Bolewski Jr., A., M. Ciechanowski, A. Dydejczyk and A. Kreft, A practical method for measuring the boron equivalent of graphite impurity 237 (2005) 602

doi:10.1016/S0168-583X(05)01445-X

Borden, P., see Budiarto, E. . . . 237 (2005) 324
Borland, J.O., Alternative USJ formation and characterization methods for 45 nm node technology 237 (2005) 6
Borland, J.O., see Benjamin, M.C. . . . 237 (2005) 351
Boudjadar, S., see Meftah, A. . . . 237 (2005) 563
Bourdon, H., M. Juhel, B. Oudet, N. Breil and D. Lenoble, Poly-Si gate engineering for advanced CMOS transistors by germanium implantation . . . 237 (2005) 148
Breese, M.B.H., see Mistry, P. . . . 237 (2005) 188
Breil, N., see Bourdon, H. . . . 237 (2005) 148
Budiarto, E., M. Segovia, P. Borden and S. Felch, Carrier illumination measurement of dopant lateral diffusion . . . 237 (2005) 324
Bundaleski, N., Z. Ristić, M. Radović and Z. Rakočević, Influence of the primary ion beam profile and the energy analyzer optics to the LEIS spectra: the analytical study . . . 237 (2005) 613
Burgess, C., see Wooding, A.C. . . . 237 (2005) 273
Butschke, J., see von Borany, J. . . . 237 (2005) 62

Cai, G., see Jiang, Y.-L. . . . 237 (2005) 160
Cansell, A., see Mistry, P. . . . 237 (2005) 188
Cao, J., see Liu, Y.Z. . . . 237 (2005) 543
Castle, M., see Graoui, H. . . . 237 (2005) 46
Castle, M., see Pipes, L. . . . 237 (2005) 330
Celauro, C.A., see Lambri, O.A. . . . 237 (2005) 550
Chang, T.C., see Yang, F.M. . . . 237 (2005) 301
Chang, Y.-S., see Chen, U.-S. . . . 237 (2005) 470
Chao, D.S., D.Y. Shu, S.B. Hung, W.Y. Hsieh and M.-J. Tsai, Investigation of silicon-on-insulator (SOI) substrate preparation using the smart-cut^{TM} process . . . 237 (2005) 197
Chen, C.H., J.M. Yeh and J. Hwang, Enhancement of *c*-axis texture of AlN films by substrate implantation 237 (2005) 290
Chen, C.W., see Yang, F.M. . . . 237 (2005) 301
Chen, H.C., C.M. Huang, K.F. Liao, S.W. Lee, C.H. Hsu and L.J. Chen, Morphology modifications of quantum dots on Si(0 0 1) surface by ion sputtering . . . 237 (2005) 465
Chen, J., L. Shao, T. Lin, J. Liu and W.-K. Chu, The effects of energy non-monochromaticity of ^{11}B ion beams on ^{11}B diffusion . . . 237 (2005) 155
Chen, K.-C., see Luoh, T. . . . 237 (2005) 183
Chen, K.-C., see Luoh, T. . . . 237 (2005) 213
Chen, L.J., J. Poate and T.-F. Lei, Editorial . . . 237 (2005) vii
Chen, L.J., see Yu, C.H. . . . 237 (2005) 167
Chen, L.J., see He, J.H. . . . 237 (2005) 174
Chen, L.J., see Liao, K.F. . . . 237 (2005) 217
Chen, L.J., see He, J.H. . . . 237 (2005) 384
Chen, L.J., see Chen, H.C. . . . 237 (2005) 465
Chen, P.S., see Liao, K.F. . . . 237 (2005) 217
Chen, U.-S., W.-J. Hsieh, H.C. Shih, Y.-S. Chang, K.-W. Weng and D.-Y. Wang, Nanostructure and adhesion of electroless-plated Cu film on the self-catalyzed Cu using metal-plasma ion implanter . . . 237 (2005) 470
Chen, U.-S. and H.C. Shih, Characterization of copper metallization for interconnect by 90°-bend electromagnetic filtered vacuum arc . . . 237 (2005) 477
Chen, Y.-C., Y.-M. Sun, S.-Y. Yu, C.-P. Hsiung, J.-Y. Gan and C.-S. Kou, Characterization of Pt oxide thin film fabricated by plasma immersion ion implantation . . . 237 (2005) 296
Cheung, I.T.L., see Fu, R.K.Y. . . . 237 (2005) 417
Cheung, K.M.C., see Poon, R.W.Y. . . . 237 (2005) 411
Cho, S.O. and H.Y. Jun, Surface hardening of poly(methyl methacrylate) by electron irradiation . . . 237 (2005) 525
Chow, J.L., see Freer, B.S. . . . 237 (2005) 372
Chu, P.K., see Mei, Y.F. . . . 237 (2005) 307
Chu, P.K., see Poon, R.W.Y. . . . 237 (2005) 411
Chu, P.K., see Fu, R.K.Y. . . . 237 (2005) 417
Chu, W.-K., see Chen, J. . . . 237 (2005) 155
Chung, C.Y., see Poon, R.W.Y. . . . 237 (2005) 411
Chung, H., see Luoh, T. . . . 237 (2005) 183

Chung, H., see Luoh, T. . . . 237 (2005) 213
Ciechanowski, M., see Bolewski Jr., A. . . . 237 (2005) 602
Claudio, G., see Gwilliam, R. . . . 237 (2005) 121
Collart, E.J.H., see Hamilton, J.J. . . . 237 (2005) 107
Collart, E.J.H., see Mefo, J. . . . 237 (2005) 245
Colombeau, B., see Hamilton, J.J. . . . 237 (2005) 107
Conti, G., see Graoui, H. . . . 237 (2005) 336
Cooke, G., see Dilliway, G.D.M. . . . 237 (2005) 131
Costantini, J.M., see Meftah, A. . . . 237 (2005) 563
Cowern, N.E.B., see Hamilton, J.J. . . . 237 (2005) 107
Cowern, N.E.B., see Dilliway, G.D.M. . . . 237 (2005) 131

Deboy, G., see von Borany, J. . . . 237 (2005) 62
Dedkov, G.V. and A.A. Kyasov, Grazing incidence energy loss of an atomic beam in thermal evanescent field of polaritons near a smooth dielectric/semiconductor surface . . . 237 (2005) 507
Dilliway, G.D.M., A.J. Smith, J.J. Hamilton, J. Benson, L. Xu, P.J. McNally, G. Cooke, H. Kheyrandish and N.E.B. Cowern, Transient enhanced diffusion and deactivation of ion-implanted As in strained Si 237 (2005) 131
Dobrovolskiy, S., A.E. Yakshin, M.J.H. Kessels and J. Verhoeven, The application of energetic CH_x^+ ions to form a Si/SiC multilayer system for reflection of radiation between 20 and 80 nm . . . 237 (2005) 533
Downey, D.F., see Liebert, R.B. . . . 237 (2005) 365
Drobny, V.F. and D. Robinson, Characterization of BF_2^+ implanted monitor for rapid thermal processor temperature calibration . . . 237 (2005) 438
Dydejczyk, A., see Bolewski Jr., A. . . . 237 (2005) 602

Eimori, T., see Abo, S. . . . 237 (2005) 72
Ermakov, E., see Romankov, S.E. . . . 237 (2005) 575
Erokhin, Y., see Walther, S. . . . 237 (2005) 126
Eto, T., see Matsuno, A. . . . 237 (2005) 136
Evans, C.A., see Graoui, H. . . . 237 (2005) 336

Faïk, H., see Torregrosa, F. . . . 237 (2005) 18
Fan, A., see Li, W.S. . . . 237 (2005) 356
Fan, A., see Li, W.S. . . . 237 (2005) 361
Faul, J.W. and D. Henke, Transistor challenges – A DRAM perspective . . . 237 (2005) 228
Felch, S., see Graoui, H. . . . 237 (2005) 46
Felch, S., see Budiarto, E. . . . 237 (2005) 324
Felch, S.B., H. Graoui, G. Tsai and A. Mayur, Optimization of pre-amorphization and dopant implant conditions for advanced annealing . . . 237 (2005) 35
Felch, S.B., M.A. Foad, C. Olsen, F. Nouri, Y. Matsunaga and N. Natsuaki, 90 nm device validation of the use of a single-wafer, high-current implanter for high tilt halo implants . . . 237 (2005) 53
Feudel, T., see Herden, M. . . . 237 (2005) 203
Foad, M.A., see Graoui, H. . . . 237 (2005) 46
Foad, M.A., see Felch, S.B. . . . 237 (2005) 53
Foad, M.A., see Graoui, H. . . . 237 (2005) 336
Freer, B.S., M.A. Graf, J.L. Chow, D.R. Tieger and C. Sohl, Mass resolution: The effects of resolving aperture and beam width on beam current and energetic contamination . . . 237 (2005) 372
Freer, B.S., R.N. Reece, M.A. Graf, T. Parrill and D. Polner, In situ beam angle measurement in a multi-wafer high current ion implanter . . . 237 (2005) 378
Frey, L., see Rambach, M. . . . 237 (2005) 68
Frey, L., see Häublein, V. . . . 237 (2005) 341
Frey, L., see Häublein, V. . . . 237 (2005) 346
Friedrich, M., see von Borany, J. . . . 237 (2005) 62
Fu, R.K.Y., see Mei, Y.F. . . . 237 (2005) 307
Fu, R.K.Y., I.T.L. Cheung, Y.F. Mei, C.H. Shek, G.G. Siu, P.K. Chu, W.M. Yang, Y.X. Leng, Y.X. Huang, X.B. Tian, and S.Q. Yang, Surface modification of polymeric materials by plasma immersion ion implantation . . . 237 (2005) 417

Fujino, Y., see Fuse, G. . . . 237 (2005) 77
Fukagawa, Y., see Sasaki, Y. . . . 237 (2005) 41
Furuki, H., see Kato, Y. . . . 237 (2005) 256
Furuki, H., see Asaji, T. . . . 237 (2005) 262
Fuse, G., M. Sano, H. Murooka, T. Yagita, M. Kabasawa, T. Siraishi, Y. Fujino, N. Suetsugu, H. Kariya, H. Izutani and M. Sugitani, Electrical characteristics due to differences in crystal damage induced by various implant conditions . . . 237 (2005) 77

Gan, J.-Y., see Chen, Y.-C. . . . 237 (2005) 296
Gehre, D., see Herden, M. . . . 237 (2005) 203
Geiler, H.D., H. Karge, M. Wagner, W. Lerch and S. Paul, Nondestructive evaluation of as-implanted and annealed ultra shallow junctions by photothermal and photoluminescence heterodyne techniques . . . 237 (2005) 30
Gennaro, S., M. Barozzi, M. Bersani, B.J. Sealy and R. Gwilliam, Diffusion of indium implanted in silicon: The effect of the pre-amorphisation treatment and of the presence of carbon . . . 237 (2005) 88
Gennaro, S., see Gwilliam, R. . . . 237 (2005) 121
Giubertoni, D., see Hamilton, J.J. . . . 237 (2005) 107
Goldberg, R.D., see Wooding, A.C. . . . 237 (2005) 273
Gomez-Morilla, I., see Mistry, P. . . . 237 (2005) 188
Gossmann, H.-J.L., Ion implantation in advanced planar and vertical devices . . . 237 (2005) 1
Gotoh, Y., see Ishikawa, J. . . . 237 (2005) 390
Gotoh, Y., see Ishikawa, J. . . . 237 (2005) 422
Gotoh, Y., see Tsuji, H. . . . 237 (2005) 433
Gotoh, Y., see Tsuji, H. . . . 237 (2005) 459
Graf, M.A., see Freer, B.S. . . . 237 (2005) 372
Graf, M.A., see Freer, B.S. . . . 237 (2005) 378
Graoui, H., see Felch, S.B. . . . 237 (2005) 35
Graoui, H., M. Hilkene, B. McComb, M. Castle, S. Felch, A. Al-Bayati, A. Tjandra and M.A. Foad, Optimization of advanced PMOS junctions using Ge, B and F co-implants . . . 237 (2005) 46
Graoui, H., G. Conti, M. Hilkene, B. McComb, A. Tjandra, M.A. Foad, D. Kouzminov, J. Hunter, C.J. Hitzman and C.A. Evans, Low energy electron induced X-ray emission spectrometry (LEXES) and secondary ion mass spectrometry (SIMS) sensitivity studies to ultra shallow arsenic implants . . . 237 (2005) 336
Grime, G.W., see Mistry, P. . . . 237 (2005) 188
Grouillet, A., see Walther, S. . . . 237 (2005) 126
Gwilliam, R., see Gennaro, S. . . . 237 (2005) 88
Gwilliam, R., S. Gennaro, G. Claudio, B.J. Sealy, C. Mulcahy and S. Biswas, Ultra shallow junction formation and dopant activation study of Ga implanted Si . . . 237 (2005) 121
Gwilliam, R., see Mistry, P. . . . 237 (2005) 188
Gwilliam, R., Y.Y. Wang, M.J. Kelly and M.J. Kearney, Manufacturability of fully ion implanted planer-doped-barrier diodes in GaAs . . . 237 (2005) 208
Gwilliam, R., see Mefo, J. . . . 237 (2005) 245
Gwilliam, R.M., see Sharp, J.A. . . . 237 (2005) 93
Gwilliam, R.M., see Webb, M. . . . 237 (2005) 193

Hamamoto, N., S. Umisedo, T. Nagayama, M. Tanjyo, S. Sakai, N. Nagai, T. Aoyama and Y. Nara, Decaborane implantation with the medium current implanter . . . 237 (2005) 443
Hamilton, J.J., see Sharp, J.A. . . . 237 (2005) 93
Hamilton, J.J., E.J.H. Collart, B. Colombeau, C. Jeynes, M. Bersani, D. Giubertoni, J.A. Sharp, N.E.B. Cowern and K.J. Kirkby, Electrical activation of solid-phase epitaxially regrown ultra-low energy boron implants in Ge preamorphised silicon and SOI . . . 237 (2005) 107
Hamilton, J.J., see Dilliway, G.D.M. . . . 237 (2005) 131
Haq, A., see Ahmed, S. . . . 237 (2005) 102
Häublein, V., S. Sadrawetz, L. Frey, H.-P. Martinz and H. Ryssel, Investigations into the wear of a WL10 ion source . . . 237 (2005) 341
Häublein, V., L. Frey and H. Ryssel, Additional peaks in mass spectra due to charge exchange events and dissociation of molecular ions during extraction . . . 237 (2005) 346
Hayashi, T., see Kawasaki, Y. . . . 237 (2005) 25

Hazelton, R.C., see Williams, J.M. 237 (2005) 278
He, J.H., W.W. Wu and L.J. Chen, Enhanced thermal and morphological stability of Ni($Si_{1-x}Ge_x$) growth on BF_2^+-preamorphized $Si_{0.8}Ge_{0.2}$ substrate 237 (2005) 174
He, J.H., H.H. Lin, W.W. Wu and L.J. Chen, Effects of implantation energy and annealing temperature on the structural evolution of Ge^+-implanted amorphous Si 237 (2005) 384
Henke, D., see Faul, J.W. 237 (2005) 228
Herden, M., D. Gehre, T. Feudel, A. Wei, M. Bersani, G. Mannino and J.v.d. Berg, Influence of co-implantation on the activation and diffusion of ultra-shallow extension implantation 237 (2005) 203
Hernandez, M., see Torregrosa, F. 237 (2005) 18
Higaki, R., see Sasaki, Y. 237 (2005) 41
Hilkene, M., see Graoui, H. 237 (2005) 46
Hilkene, M., see Graoui, H. 237 (2005) 336
Hillard, R.J., see Benjamin, M.C. 237 (2005) 351
Hironaka, Y., see Takaoka, G.H. 237 (2005) 402
Hitzman, C.J., see Graoui, H. 237 (2005) 336
Ho, J.P.Y., see Poon, R.W.Y. 237 (2005) 411
Holmes, A.J.T., see Wooding, A.C. 237 (2005) 273
Horita, K., see Kawasaki, Y. 237 (2005) 25
Horsky, T., see Kawasaki, Y. 237 (2005) 25
Horsky, T., see Jacobson, D. 237 (2005) 406
Howle, C.R., S. Ali, R.P. Tuckett, D.A. Shaw and J.B. West, Characterisation of a new VUV beamline at the Daresbury SRS using a dispersed fluorescence apparatus incorporating CCD detection 237 (2005) 656
Hsieh, J.-Y., see Luoh, T. 237 (2005) 183
Hsieh, W.-J., see Chen, U.-S. 237 (2005) 470
Hsieh, W.Y., see Chao, D.S. 237 (2005) 197
Hsiung, C.-P., see Chen, Y.-C. 237 (2005) 296
Hsu, C.H., see Chen, H.C. 237 (2005) 465
Hsu, J.Y., see Liang, J.H. 237 (2005) 312
Huang, C.M., see Chen, H.C. 237 (2005) 465
Huang, C.-T., see Luoh, T. 237 (2005) 183
Huang, C.M., see Chen, H.C. 237 (2005) 465
Huang, C.-T., see Luoh, T. 237 (2005) 183
Huang, C.-T., see Luoh, T. 237 (2005) 213
Huang, X.Q., see Liu, Y.Z. 237 (2005) 543
Huang, Y.X., see Fu, R.K.Y. 237 (2005) 417
Hung, S.B., see Chao, D.S. 237 (2005) 197
Hung, Y.-T., see Luoh, T. 237 (2005) 213
Hunter, J., see Graoui, H. 237 (2005) 336
Hwang, J., see Chen, C.H. 237 (2005) 290

Ichihara, S., see Abo, S. 237 (2005) 72
Ikejiri, T., see Ishikawa, J. 237 (2005) 390
Ikenaga, N., see Sakudo, N. 237 (2005) 428
Imanaka, M., T. Nakagawa, H. Arai, I. Arai and S.M. Lee, Plasma diagnostics of liquid He-free SC-ECR ion source (SHIVA) with use of laser ablation technique 237 (2005) 647
Inoue, S., N. Toyoda, H. Tsubakino and I. Yamada, Morphological evolution of surfaces irradiated by gas cluster ion beams during thin film deposition 237 (2005) 449
Inoue, Y., see Abo, S. 237 (2005) 72
Ishibashi, M., see Kawasaki, Y. 237 (2005) 25
Ishii, S., see Kato, Y. 237 (2005) 256
Ishii, S., see Asaji, T. 237 (2005) 262
Ishikawa, J., Y. Gotoh, K. Nakamura, T. Kojima, H. Tsuji, T. Ikejiri, S. Sakai, S. Umisedo, N. Nagai, M. Nagao and S. Kanemaru, Silicon field emission array as novel charge neutralization device for high current ion implanter 237 (2005) 390
Ishikawa, J., H. Tsuji, N. Arai, T. Matsumoto, K. Ueno, K. Adachi, H. Kotaki and Y. Gotoh, Formation of almost delta-layered nanoparticles in SiO_2 thin film on Si substrate by metal negative-ion implantation 237 (2005) 422
Ishikawa, J., see Tsuji, H. 237 (2005) 433
Ishikawa, J., see Tsuji, H. 237 (2005) 459

Ito, H., see Sasaki, Y. . . . 237 (2005) 41
Ito, H., see Jin, C.G. . . . 237 (2005) 58
Ito, H., see Sakudo, N. . . . 237 (2005) 428
Iwai, H., see Sasaki, Y. . . . 237 (2005) 41
Iwai, H., see Jin, C.G. . . . 237 (2005) 58
Izutani, H., see Fuse, G. . . . 237 (2005) 77

Jacobson, D., see Kawasaki, Y. . . . 237 (2005) 25
Jacobson, D., T. Horsky, W. Krull and B. Milgate, Ultra-high resolution mass spectroscopy of boron cluster ions . . . 237 (2005) 406
Jain, A., see Thirupapuliyur, S. . . . 237 (2005) 98
Jeynes, C., see Sharp, J.A. . . . 237 (2005) 93
Jeynes, C., see Hamilton, J.J. . . . 237 (2005) 107
Jeynes, C., see Webb, M. . . . 237 (2005) 193
Jiang, Y.-L., A. Agarwal, G.-P. Ru, G. Cai and B.-Z. Li, Nickel silicide formation on shallow junctions . . 237 (2005) 160
Jin, C.G., see Sasaki, Y. . . . 237 (2005) 41
Jin, C.G., Y. Sasaki, K. Okashita, H. Tamura, H. Ito, B. Mizuno, K. Tsutsui, S. Ohmi and H. Iwai, Ultra shallow p^+/n junction formation by plasma doping (PD) and long pulse all solid-state laser annealing (ASLA) with selective absorption modulation . . . 237 (2005) 58
Juhel, M., see Bourdon, H. . . . 237 (2005) 148
Jun, H.Y., see Cho, S.O. . . . 237 (2005) 525

Kabasawa, M., see Fuse, G. . . . 237 (2005) 77
Kanazawa, M., see Asaji, T. . . . 237 (2005) 262
Kanemaru, S., see Ishikawa, J. . . . 237 (2005) 390
Kang, K., see Yoo, W.S. . . . 237 (2005) 12
Karge, H., see Geiler, H.D. . . . 237 (2005) 30
Kariya, H., see Fuse, G. . . . 237 (2005) 77
Kato, Y., see Tomida, M. . . . 237 (2005) 83
Kato, Y., H. Furuki, T. Asaji, H. Sasaki and S. Ishii, ECR multi-charged ion source directly excited in a circular TE_{01} mode cavity resonator . . . 237 (2005) 256
Kato, Y., see Asaji, T. . . . 237 (2005) 262
Kato, Y., T. Yoshinaga, M. Tomida and S. Kimpara, Production of multicharged iron and nitrogen ions and application to enhance photo-catalytic performance in visible light region on TiO_2 thin films . . . 237 (2005) 267
Kawasaki, Y., T. Kuroi, T. Yamashita, K. Horita, T. Hayashi, M. Ishibashi, M. Togawa, Y. Ohno, M. Yoneda, T. Horsky, D. Jacobson and W. Krull, Ultra-shallow junction formation by $B_{18}H_{22}$ ion implantation . . . 237 (2005) 25
Kawashita, M., see Takaoka, G.H. . . . 237 (2005) 240
Kawashita, M., see Takaoka, G.H. . . . 237 (2005) 402
Kearney, M.J., see Gwilliam, R. . . . 237 (2005) 208
Kek, H.A., see Li, W.S. . . . 237 (2005) 356
Kek, H.A., see Li, W.S. . . . 237 (2005) 361
Kelly, M.J., see Gwilliam, R. . . . 237 (2005) 208
Kessels, M.J.H., see Dobrovolskiy, S. . . . 237 (2005) 533
Khalfaoui, N., see Meftah, A. . . . 237 (2005) 563
Kheyrandish, H., see Dilliway, G.D.M. . . . 237 (2005) 131
Kimpara, S., see Kato, Y. . . . 237 (2005) 267
Kirchner, C., see Vyatkin, A.F. . . . 237 (2005) 179
Kirkby, K.J., see Sharp, J.A. . . . 237 (2005) 93
Kirkby, K.J., see Hamilton, J.J. . . . 237 (2005) 107
Kirkby, K.J., see Mistry, P. . . . 237 (2005) 188
Klepper, C.C., see Williams, J.M. . . . 237 (2005) 278
Kling, R., see Vyatkin, A.F. . . . 237 (2005) 179
Kojima, T., see Ishikawa, J. . . . 237 (2005) 390
Kopniczky, J., see Vorobyova, I.V. . . . 237 (2005) 593

Kotaki, H., see Ishikawa, J. . . . 237 (2005) 422
Kou, C.-S., see Chen, Y.-C. . . . 237 (2005) 296
Kouzminov, D., see Graoui, H. . . . 237 (2005) 336
Kreft, A., see Bolewski Jr., A. . . . 237 (2005) 602
Krieger, M., see Rambach, M. . . . 237 (2005) 68
Krull, W., see Kawasaki, Y. . . . 237 (2005) 25
Krull, W., see Jacobson, D. . . . 237 (2005) 406
Ku, J., see Luoh, T. . . . 237 (2005) 183
Ku, J., see Luoh, T. . . . 237 (2005) 213
Kumar, S., V.S. Raju, S. Bera, K. Vijaynandhini and T.R.N. Kutty, Studies on surface composition and chemical states of calcium manganites . . . 237 (2005) 623
Kuo, C.W., see Li, W.S. . . . 237 (2005) 356
Kuo, C.W., see Li, W.S. . . . 237 (2005) 361
Kurobe, K.-i., see Matsuno, A. . . . 237 (2005) 136
Kuroi, T., see Kawasaki, Y. . . . 237 (2005) 25
Kurup, M.B., see Bhat, N.V. . . . 237 (2005) 585
Kutty, T.R.N., see Kumar, S. . . . 237 (2005) 623
Kyasov, A.A., see Dedkov, G.V. . . . 237 (2005) 507

Lai, C.W., see Mei, Y.F. . . . 237 (2005) 307
Lallement, F. and D. Lenoble, Investigation on boron transient enhanced diffusion induced by the advanced P^+/N ultra-shallow junction fabrication processes . . . 237 (2005) 113
Lallement, F., see Walther, S. . . . 237 (2005) 126
Lambri, O.A., L.M. Salvatierra, F.A. Sánchez, C.L. Matteo, P.A. Sorichetti and C.A. Celauro, Crystal growth in EPDM by chemi-crystallisation as a function of the neutron irradiation dose and flux level . 237 (2005) 550
Laviron, C., see Torregrosa, F. . . . 237 (2005) 18
Lee, S.M., see Imanaka, M. . . . 237 (2005) 647
Lee, S.W., see Liao, K.F. . . . 237 (2005) 217
Lee, S.W., see Chen, H.C. . . . 237 (2005) 465
Lei, T.F., see Shieh, M.S. . . . 237 (2005) 223
Lei, T.-F., see Chen, L.J. . . . 237 (2005) vii
Leng, Y.X., see Fu, R.K.Y. . . . 237 (2005) 417
Lennart, A., see Rajasekar, P. . . . 237 (2005) 485
Lenoble, D., see Lallement, F. . . . 237 (2005) 113
Lenoble, D., see Walther, S. . . . 237 (2005) 126
Lenoble, D., see Bourdon, H. . . . 237 (2005) 148
Lerch, W., see Geiler, H.D. . . . 237 (2005) 30
Letzkus, F., see von Borany, J. . . . 237 (2005) 62
Li, B.-Z., see Jiang, Y.-L. . . . 237 (2005) 160
Li, C., see Liu, Y.Z. . . . 237 (2005) 543
Li, W.S., B. Wu, A. Fan, C.W. Kuo, M. Segovia and H.A. Kek, Analyzing nitrogen concentration using carrier illumination (CI) technology for DPN ultra-thin gate oxide . . . 237 (2005) 356
Li, W.S., H.K. Lim, A. Fan, C.W. Kuo, M. Segovia and H.A. Kek, In-line implant and RTP process monitoring using the carrier illumination technique . . . 237 (2005) 361
Liang, J.H., Y.J. Sang, C.-H. Wang, T.W. Wang, J.Y. Hsu, H. Niu and M.S. Tseng, Post-annealing effects on shallow-junction characteristics caused by 20 keV BGe molecular ion implantation . . . 237 (2005) 312
Liao, K.F., P.S. Chen, S.W. Lee, L.J. Chen and C.W. Liu, Formation of high-quality and relaxed SiGe buffer layer with H-implantation and subsequent thermal annealing . . . 237 (2005) 217
Liao, K.F., see Chen, H.C. . . . 237 (2005) 465
Liebert, R.B., J.C. Olson, E.A. Arevalo and D.F. Downey, Tuning for optimal performance in angle control, uniformity, and energy purity . . . 237 (2005) 365
Lim, H.K., see Li, W.S. . . . 237 (2005) 361
Lin, H.H., see He, J.H. . . . 237 (2005) 384
Lin, J., see Ahmed, S. . . . 237 (2005) 102
Lin, T., see Chen, J. . . . 237 (2005) 155
Lin, Y.J., see Shieh, M.S. . . . 237 (2005) 223

Liou, M., see Luoh, T. . . . 237 (2005) 213
Liu, C.W., see Liao, K.F. . . . 237 (2005) 217
Liu, H.-W., see Luoh, T. . . . 237 (2005) 213
Liu, J., see Chen, J. . . . 237 (2005) 155
Liu, P.T., see Yang, F.M. . . . 237 (2005) 301
Liu, X., see Poon, R.W.Y. . . . 237 (2005) 411
Liu, Y.Z., X.T. Zu, J. Cao, L. Wang, C. Li and X.Q. Huang, Phase formation in nitrogen ion implanted Ti–Al–Zr alloy and modification of corrosion property . . . 237 (2005) 543
Lohner, T., see Abo, S. . . . 237 (2005) 72
Lou, J.C., see Yang, F.M. . . . 237 (2005) 301
Lu, C.-Y., see Luoh, T. . . . 237 (2005) 183
Lu, C.-Y., see Luoh, T. . . . 237 (2005) 213
Lu, W.W., see Poon, R.W.Y. . . . 237 (2005) 411
Luoh, T., J.-Y. Hsieh, L.-W. Yang, C.-T. Huang, K.-C. Chen, H. Chung, J. Ku and C.-Y. Lu, Dual gate oxide integrity improvement by implementing nitrogen implantation technology . . . 237 (2005) 183
Luoh, T., M. Liou, H.-W. Liu, C.-T. Su, Y.-T. Hung, L.-W. Yang, C.-T. Huang, K.-C. Chen, H. Chung, J. Ku and C.-Y. Lu, Thermal stability enhancement of silicides by using N_2 and Ar implantation 237 (2005) 213

Mack, M.E., Gas cluster ion beams for wafer processing . . . 237 (2005) 235
Majima, K., see Sasaki, Y. . . . 237 (2005) 41
Mamaeva, A., see Romankov, S.E. . . . 237 (2005) 575
Mannino, G., see Herden, M. . . . 237 (2005) 203
Marin, T., see Pipes, L. . . . 237 (2005) 330
Martinz, H.-P., see Häublein, V. . . . 237 (2005) 341
Materer, N.F., see Rajasekar, P. . . . 237 (2005) 485
Matsumoto, T., see Ishikawa, J. . . . 237 (2005) 422
Matsunaga, Y., see Felch, S.B. . . . 237 (2005) 53
Matsuno, A., E. Takii, T. Eto, K.-i. Kurobe and K. Shibahara, Merits and demerits of light absorbers for ultra-shallow junction formation by green laser annealing . . . 237 (2005) 136
Matsuo, J., see Seki, T. . . . 237 (2005) 455
Matteo, C.L., see Lambri, O.A. . . . 237 (2005) 550
Mayur, A., see Felch, S.B. . . . 237 (2005) 35
Mayur, A., see Thirupapuliyur, S. . . . 237 (2005) 98
McComb, B., see Graoui, H. . . . 237 (2005) 46
McComb, B., see Graoui, H. . . . 237 (2005) 336
McNally, P.J., see Dilliway, G.D.M. . . . 237 (2005) 131
Mefo, J., B.J. Sealy, E.J.H. Collart, D.G. Armour and R. Gwilliam, Langmuir probe analysis of a BF_3 discharge in a high current ion source . . . 237 (2005) 245
Meftah, A., J.M. Costantini, N. Khalfaoui, S. Boudjadar, J.P. Stoquert, F. Studer and M. Toulemonde, Experimental determination of track cross-section in $Gd_3Ga_5O_{12}$ and comparison to the inelastic thermal spike model applied to several materials . . . 237 (2005) 563
Mei, Y.F., G.G. Siu, R.K.Y. Fu, K.W. Wong, P.K. Chu, C.W. Lai and H.C. Ong, Determination of nitrogen-related defects in N-implanted ZnO films by dynamic cathodoluminescence . . . 237 (2005) 307
Mei, Y.F., see Fu, R.K.Y. . . . 237 (2005) 417
Merchant, M., see Mistry, P. . . . 237 (2005) 188
Milesi, F., see Torregrosa, F. . . . 237 (2005) 18
Milgate, B., see Jacobson, D. . . . 237 (2005) 406
Mistry, P., I. Gomez-Morilla, G.W. Grime, R.P. Webb, R. Gwilliam, A. Cansell, M. Merchant, K.J. Kirkby, E.J. Teo, M.B.H. Breese, A.A. Bettiol, D.J. Blackwood and F. Watt, New developments in the applications of proton beam writing . . . 237 (2005) 188
Mizuno, B., see Sasaki, Y. . . . 237 (2005) 41
Mizuno, B., see Jin, C.G. . . . 237 (2005) 58
Mulcahy, C., see Gwilliam, R. . . . 237 (2005) 121
Murooka, H., see Fuse, G. . . . 237 (2005) 77
Muto, T., see Tsuji, H. . . . 237 (2005) 459

Nagai, N., see Ishikawa, J. 237 (2005) 390
Nagai, N., see Hamamoto, N. 237 (2005) 443
Nagao, M., see Ishikawa, J. 237 (2005) 390
Nagayama, T., see Hamamoto, N. 237 (2005) 443
Nakagawa, T., see Imanaka, M. 237 (2005) 647
Nakamura, K., see Ishikawa, J. 237 (2005) 390
Nakayama, K., see Takaoka, G.H. 237 (2005) 402
Nara, Y., see Hamamoto, N. 237 (2005) 443
Nate, M.M., see Bhat, N.V. 237 (2005) 585
Natsuaki, N., see Felch, S.B. 237 (2005) 53
Nishida, Y., see Takaoka, G.H. 237 (2005) 240
Nishimoto, R., see Sakudo, N. 237 (2005) 428
Niu, H., see Liang, J.H. 237 (2005) 312
Noguchi, H., see Takaoka, G.H. 237 (2005) 402
Nouri, F., see Felch, S.B. 237 (2005) 53

Ohmi, S., see Sasaki, Y. 237 (2005) 41
Ohmi, S., see Jin, C.G. 237 (2005) 58
Ohno, Y., see Kawasaki, Y. 237 (2005) 25
Okashita, K., see Sasaki, Y. 237 (2005) 41
Okashita, K., see Jin, C.G. 237 (2005) 58
Olsen, C., see Felch, S.B. 237 (2005) 53
Olson, J.C., see Liebert, R.B. 237 (2005) 365
Ong, H.C., see Mei, Y.F. 237 (2005) 307
Oudet, B., see Bourdon, H. 237 (2005) 148

Parrill, T., see Freer, B.S. 237 (2005) 378
Paul, S., see Geiler, H.D. 237 (2005) 30
Pensl, G., see Rambach, M. 237 (2005) 68
Pipes, L., M. Taylor, G. Zietz, A. Al-Bayati, M. Castle, T. Marin and J. Simmons, Characterization and reduction of a new particle defect mode in sub-0.25 μm semiconductor process flows 237 (2005) 330
Poate, J., see Chen, L.J. . . . . 237 (2005) vii
Polner, D., see Freer, B.S. 237 (2005) 378
Poon, R.W.Y., J.P.Y. Ho, X. Liu, C.Y. Chung, P.K. Chu, K.W.K. Yeung, W.W. Lu and K.M.C. Cheung, Improvements of anti-corrosion and mechanical properties of NiTi orthopedic materials by acetylene, nitrogen and oxygen plasma immersion ion implantation 237 (2005) 411
Pustovit, A.N., see Vyatkin, A.F. 237 (2005) 179

Radović, M., see Bundaleski, N. 237 (2005) 613
Rajasekar, P., A. Lennart and N.F. Materer, Ion-bombardment induced light emission from Si(1 0 0) surfaces under continuous germane exposures 237 (2005) 485
Raju, V.S., see Kumar, S. 237 (2005) 623
Rakočević, Z., see Bundaleski, N. 237 (2005) 613
Rambach, M., F. Schmid, M. Krieger, L. Frey, A.J. Bauer, G. Pensl and H. Ryssel, Implantation and annealing of aluminum in 4H silicon carbide 237 (2005) 68
Reece, R.N., see Freer, B.S. 237 (2005) 378
Renau, A., Approaches to single wafer high current ion implantation 237 (2005) 284
Rendon, M.J., see Sing, D.C. 237 (2005) 318
Reuss, F., see Vyatkin, A.F. 237 (2005) 179
Ristić, Z., see Bundaleski, N. 237 (2005) 613
Robinson, D., see Drobny, V.F. 237 (2005) 438
Rohr, K., see Srivastava, S.N. 237 (2005) 497

Romankov, S.E., A. Mamaeva, E. Vdovichenko and E. Ermakov, Effect of ion irradiation on the interdiffusion growth of aluminide phases in Ti–Al diffusion couple 237 (2005) 575
Roshchupkin, D.V., see Vyatkin, A.F. 237 (2005) 179
Royle, A., see Webb, M. 237 (2005) 193
Ru, G.-P., see Jiang, Y.-L. 237 (2005) 160
Rüb, M., see von Borany, J. 237 (2005) 62
Ryssel, H., see Rambach, M. 237 (2005) 68
Ryssel, H., see Häublein, V. 237 (2005) 341
Ryssel, H., see Häublein, V. 237 (2005) 346

Sabharwal, S., see Bhat, N.V. 237 (2005) 585
Sadrawetz, S., see Häublein, V. 237 (2005) 341
Saito, J., see Asaji, T. 237 (2005) 262
Sakai, N., see Tsuji, H. 237 (2005) 433
Sakai, S., see Ishikawa, J. 237 (2005) 390
Sakai, S., see Hamamoto, N. 237 (2005) 443
Sakai, S., see Tsuji, H. 237 (2005) 459
Sakudo, N., N. Ikenaga, R. Nishimoto, Y. Tamashiro, T. Shinohara, H. Ito and T. Takahashi, Off-resonance microwave ion source for high-current molecular ion-beams 237 (2005) 428
Salvatierra, L.M., see Lambri, O.A. 237 (2005) 550
Sánchez, F.A., see Lambri, O.A. 237 (2005) 550
Sang, Y.J., see Liang, J.H. 237 (2005) 312
Sano, M., see Fuse, G. 237 (2005) 77
Sasaki, H., see Kato, Y. 237 (2005) 256
Sasaki, H., see Asaji, T. 237 (2005) 262
Sasaki, Y., C.G. Jin, K. Okashita, H. Tamura, H. Ito, B. Mizuno, H. Sauddin, R. Higaki, T. Satoh, K. Majima, Y. Fukagawa, K. Takagi, I. Aiba, S. Ohmi, K. Tsutsui and H. Iwai, New method of Plasma doping with in-situ Helium pre-amorphization 237 (2005) 41
Sasaki, Y., see Jin, C.G. 237 (2005) 58
Sato, H., see Tsuji, H. 237 (2005) 459
Satoh, T., see Sasaki, Y. 237 (2005) 41
Sauddin, H., see Sasaki, Y. 237 (2005) 41
Schmid, F., see Rambach, M. 237 (2005) 68
Sealy, B., see Ahmed, S. 237 (2005) 102
Sealy, B.J., see Gennaro, S. 237 (2005) 88
Sealy, B.J., see Sharp, J.A. 237 (2005) 93
Sealy, B.J., see Gwilliam, R. 237 (2005) 121
Sealy, B.J., see Webb, M. 237 (2005) 193
Sealy, B.J., see Mefo, J. 237 (2005) 245
Segovia, M., see Budiarto, E. 237 (2005) 324
Segovia, M., see Li, W.S. 237 (2005) 356
Segovia, M., see Li, W.S. 237 (2005) 361
Seki, T. and J. Matsuo, Development of 1 mA cluster ion beam source 237 (2005) 455
Shao, L., see Chen, J. 237 (2005) 155
Sharp, J.A., R.M. Gwilliam, B.J. Sealy, C. Jeynes, J.J. Hamilton and K.J. Kirkby, Comparison of elemental boron and boron halide implants into silicon 237 (2005) 93
Sharp, J.A., see Hamilton, J.J. 237 (2005) 107
Shaw, D.A., see Howle, C.R. 237 (2005) 656
Shek, C.H., see Fu, R.K.Y. 237 (2005) 417
Shibahara, K., see Matsuno, A. 237 (2005) 136
Shieh, M.S., Y.J. Lin, C.M. Yu and T.F. Lei, Characterization of polysilicon thin-film transistors with asymmetric source/drain implantation 237 (2005) 223
Shih, H.C., see Chen, U.-S. 237 (2005) 470
Shih, H.C., see Chen, U.-S. 237 (2005) 477
Shinohara, T., see Sakudo, N. 237 (2005) 428
Shu, D.Y., see Chao, D.S. 237 (2005) 197

Simmons, J., see Pipes, L. 237 (2005) 330
Sing, D.C. and M.J. Rendon, Implant process control: Going beyond particles and RS 237 (2005) 318
Singh, V., see Walther, S. 237 (2005) 126
Siraishi, T., see Fuse, G. 237 (2005) 77
Siu, G.G., see Mei, Y.F. 237 (2005) 307
Siu, G.G., see Fu, R.K.Y. 237 (2005) 417
Smith, A.J., see Dilliway, G.D.M. 237 (2005) 131
Sohl, C., see Freer, B.S. 237 (2005) 372
Sommani, P., see Tsuji, H. 237 (2005) 459
Sorichetti, P.A., see Lambri, O.A. 237 (2005) 550
Srivastava, S.N. and K. Rohr, Scaling law of angular emission distributions of laser ablated particle pulses from monoatomic and compound targets 237 (2005) 497
Stoquert, J.P., see Meftah, A. 237 (2005) 563
Studer, F., see Meftah, A. 237 (2005) 563
Su, C.-T., see Luoh, T. 237 (2005) 213
Suetsugu, N., see Fuse, G. 237 (2005) 77
Sugahara, H., see Tsuji, H. 237 (2005) 433
Sugitani, M., see Fuse, G. 237 (2005) 77
Sun, Y.-M., see Chen, Y.-C. 237 (2005) 296
Suzuki, T., Flat panel display – Impurity doping technology for flat panel displays 237 (2005) 395

Tabatabaian, Z., see Webb, M. 237 (2005) 193
Tai, Y.H., see Yang, F.M. 237 (2005) 301
Takagi, K., see Sasaki, Y. 237 (2005) 41
Takahashi, T., see Sakudo, N. 237 (2005) 428
Takai, M., see Abo, S. 237 (2005) 72
Takaoka, G.H., Y. Nishida, T. Yamamoto and M. Kawashita, Development of polyatomic ion beam system using liquid organic materials 237 (2005) 240
Takaoka, G.H., H. Noguchi, K. Nakayama, Y. Hironaka and M. Kawashita, Fundamental characteristics of liquid cluster ion source for surface modification 237 (2005) 402
Takii, E., see Matsuno, A. 237 (2005) 136
Tamashiro, Y., see Sakudo, N. 237 (2005) 428
Tamura, H., see Sasaki, Y. 237 (2005) 41
Tamura, H., see Jin, C.G. 237 (2005) 58
Tanjyo, M., see Hamamoto, N. 237 (2005) 443
Taylor, M., see Vanderpool, A. 237 (2005) 142
Taylor, M., see Pipes, L. 237 (2005) 330
Teo, E.J., see Mistry, P. 237 (2005) 188
Testoni, A., see Walther, S. 237 (2005) 126
Thirupapuliyur, S., A. Al-Bayati, A. Jain and A. Mayur, Angled implants for controlling gate–source/drain extension: A TCAD modeling study 237 (2005) 98
Tian, X.B., see Fu, R.K.Y. 237 (2005) 417
Tieger, D.R., see Freer, B.S. 237 (2005) 372
Tjandra, A., see Graoui, H. 237 (2005) 46
Tjandra, A., see Graoui, H. 237 (2005) 336
Togawa, M., see Kawasaki, Y. 237 (2005) 25
Tomida, M., Y. Kato and T. Asaji, Formation of β-$FeSi_2$ by implanting multicharged iron ions produced in an ECR ion source 237 (2005) 83
Tomida, M., see Kato, Y. 237 (2005) 267
Torregrosa, F., C. Laviron, F. Milesi, M. Hernandez, H. Faïk and J. Venturini, Ultra shallow P+/N junctions using plasma immersion ion implantation and laser annealing for sub 0.1 μm CMOS devices 237 (2005) 18
Toulemonde, M., see Meftah, A. 237 (2005) 563
Toyoda, N., see Inoue, S. 237 (2005) 449
Tsai, G., see Felch, S.B. 237 (2005) 35
Tsai, M.-J., see Chao, D.S. 237 (2005) 197
Tseng, M.S., see Liang, J.H. 237 (2005) 312

Tsubakino, H., see Inoue, S. . . . 237 (2005) 449
Tsuji, H., see Ishikawa, J. . . . 237 (2005) 390
Tsuji, H., see Ishikawa, J. . . . 237 (2005) 422
Tsuji, H., N. Sakai, H. Sugahara, Y. Gotoh and J. Ishikawa, Silver negative-ion implantation to sol–gel TiO_2 film for improving photocatalytic property under fluorescent light . . . 237 (2005) 433
Tsuji, H., P. Sommani, T. Muto, Y. Utagawa, S. Sakai, H. Sato, Y. Gotoh and J. Ishikawa, Immobilization of extracellular matrix on polymeric materials by carbon-negative-ion implantation . . . 237 (2005) 459
Tsutsui, K., see Sasaki, Y. . . . 237 (2005) 41
Tsutsui, K., see Jin, C.G. . . . 237 (2005) 58
Tuckett, R.P., see Howle, C.R. . . . 237 (2005) 656

Ueno, K., see Ishikawa, J. . . . 237 (2005) 422
Umisedo, S., see Ishikawa, J. . . . 237 (2005) 390
Umisedo, S., see Hamamoto, N. . . . 237 (2005) 443
Utagawa, Y., see Tsuji, H. . . . 237 (2005) 459

van den Berg, J.A., see Wooding, A.C. . . . 237 (2005) 273
Vanderpool, A. and M. Taylor, Reducing ultra-shallow boron diffusion using carbon and fluorine co-implantation . . . 237 (2005) 142
Vdovichenko, E., see Romankov, S.E. . . . 237 (2005) 575
Venturini, J., see Torregrosa, F. . . . 237 (2005) 18
Verhoeven, J., see Dobrovolskiy, S. . . . 237 (2005) 533
Vijaynandhini, K., see Kumar, S. . . . 237 (2005) 623
von Borany, J., M. Friedrich, M. Rüb, G. Deboy, J. Butschke and F. Letzkus, Application of ultra-high energy boron implantation for superjunction power (CoolMOS^{TM}) devices . . . 237 (2005) 62
Vorobyova, I.V. and J. Kopniczky, MeV-atomic-ion-induced tracks on the surface of CaF_2 single crystal . 237 (2005) 593
Vyatkin, A.F., V.I. Zinenko, Yu.A. Agaphonov, A.N. Pustovit, D.V. Roshchupkin, F. Reuss, C. Kirchner, R. Kling and A. Waag, High-dose V^+ implantation in ZnO thin film structures . . . 237 (2005) 179

Waag, A., see Vyatkin, A.F. . . . 237 (2005) 179
Wagner, M., see Geiler, H.D. . . . 237 (2005) 30
Wakaya, F., see Abo, S. . . . 237 (2005) 72
Walther, S., D. Lenoble, F. Lallement, A. Grouillet, Y. Erokhin, V. Singh and A. Testoni, Advanced 65 nm CMOS devices fabricated using ultra-low energy plasma doping . . . 237 (2005) 126
Wang, C.-H., see Liang, J.H. . . . 237 (2005) 312
Wang, D.-Y., see Chen, U.-S. . . . 237 (2005) 470
Wang, L., see Liu, Y.Z. . . . 237 (2005) 543
Wang, T.W., see Liang, J.H. . . . 237 (2005) 312
Wang, Y.Y., see Gwilliam, R. . . . 237 (2005) 208
Watt, F., see Mistry, P. . . . 237 (2005) 188
Webb, M., C. Jeynes, R.M. Gwilliam, Z. Tabatabaian, A. Royle and B.J. Sealy, The influence of the ion implantation temperature and the flux on smart-cut© in GaAs . . . 237 (2005) 193
Webb, R.P., see Mistry, P. . . . 237 (2005) 188
Wei, A., see Herden, M. . . . 237 (2005) 203
Weng, K.-W., see Chen, U.-S. . . . 237 (2005) 470
West, J.B., see Howle, C.R. . . . 237 (2005) 656
Williams, J.M., C.C. Klepper and R.C. Hazelton, Ion implantation of boron into silicon by use of the boron cathodic-arc plasma generator: First results . . . 237 (2005) 278
Wong, K.W., see Mei, Y.F. . . . 237 (2005) 307
Wooding, A.C., D.G. Armour, J.A. van den Berg, A.J.T. Holmes, C. Burgess and R.D. Goldberg, Mass and energy analysis of the ions in a plasma flood system . . . 237 (2005) 273
Wosu, S.N., Determination of inverse electric field strength of $Ta_2{}^{18}O_5$ film produced in biological electrolytes using $^{18}O(p, \alpha)^{15}N$ nuclear reaction analysis . . . 237 (2005) 631
Wu, B., see Li, W.S. . . . 237 (2005) 356

Wu, W.W., see He, J.H. 237 (2005) 174
Wu, W.W., see He, J.H. 237 (2005) 384

Xu, L., see Dilliway, G.D.M. 237 (2005) 131

Yagita, T., see Fuse, G. 237 (2005) 77
Yakshin, A.E., see Dobrovolskiy, S. 237 (2005) 533
Yamada, I., see Inoue, S. 237 (2005) 449
Yamamoto, T., see Takaoka, G.H. 237 (2005) 240
Yamashita, T., see Kawasaki, Y. 237 (2005) 25
Yang, F.M., T.C. Chang, P.T. Liu, C.W. Chen, Y.H. Tai and J.C. Lou, Damage effect of fluorine implantation on PECVD α-SiOC barrier dielectric 237 (2005) 301
Yang, L.-W., see Luoh, T. 237 (2005) 183
Yang, L.-W., see Luoh, T. 237 (2005) 213
Yang, S.Q., see Fu, R.K.Y. 237 (2005) 417
Yang, W.M., see Fu, R.K.Y. 237 (2005) 417
Yeh, J.M., see Chen, C.H. 237 (2005) 290
Yeh, P.H., see Yu, C.H. 237 (2005) 167
Yeung, K.W.K., see Poon, R.W.Y. 237 (2005) 411
Yoneda, M., see Kawasaki, Y. 237 (2005) 25
Yoo, W.S. and K. Kang, Electrical activation of ultra-shallow B and BF_2 implanted silicon by flash anneal 237 (2005) 12
Yoshinaga, T., see Kato, Y. 237 (2005) 267
Yu, C.H., P.H. Yeh and L.J. Chen, Directional nickel silicide-induced crystallization of amorphous silicon channel under high-density current stressing 237 (2005) 167
Yu, C.M., see Shieh, M.S. 237 (2005) 223
Yu, S.-Y., see Chen, Y.-C. 237 (2005) 296

Zietz, G., see Pipes, L. 237 (2005) 330
Zinenko, V.I., see Vyatkin, A.F. 237 (2005) 179
Zu, X.T., see Liu, Y.Z. 237 (2005) 543

Available online at www.sciencedirect.com
SCIENCE DIRECT®
ELSEVIER
Nuclear Instruments and Methods in Physics Research B 237 (2005) 684–688
NIM B
Beam Interactions with Materials & Atoms
www.elsevier.com/locate/nimb

Subject index

Editorials

Editorial, L.J. Chen, J. Poate and T.-F. Lei 237 (2005) vii

Atomic Collisions in Solids

Ion-bombardment induced light emission from Si(1 0 0) surfaces under continuous germane exposures, P. Rajasekar, A. Lennart and N.F. Materer 237 (2005) 485
Scaling law of angular emission distributions of laser ablated particle pulses from monoatomic and compound targets, S.N. Srivastava and K. Rohr 237 (2005) 497
Grazing incidence energy loss of an atomic beam in thermal evanescent field of polaritons near a smooth dielectric/semiconductor surface, G.V. Dedkov and A.A. Kyasov 237 (2005) 507
Invited review: Some challenging unsolved problems in atomic collisions in solids, R.A. Baragiola 237 (2005) 520

Ion, Electron and Photon Beam Modification of Materials

Electrical activation of ultra-shallow B and BF_2 implanted silicon by flash anneal, W.S. Yoo and K. Kang 237 (2005) 12
Ultra shallow P+/N junctions using plasma immersion ion implantation and laser annealing for sub 0.1 μm CMOS devices, F. Torregrosa, C. Laviron, F. Milesi, M. Hernandez, H. Faïk and J. Venturini 237 (2005) 18
Ultra-shallow junction formation by $B_{18}H_{22}$ ion implantation, Y. Kawasaki, T. Kuroi, T. Yamashita, K. Horita, T. Hayashi, M. Ishibashi, M. Togawa, Y. Ohno, M. Yoneda, T. Horsky, D. Jacobson and W. Krull 237 (2005) 25
Nondestructive evaluation of as-implanted and annealed ultra shallow junctions by photothermal and photoluminescence heterodyne techniques, H.D. Geiler, H. Karge, M. Wagner, W. Lerch and S. Paul 237 (2005) 30
Optimization of pre-amorphization and dopant implant conditions for advanced annealing, S.B. Felch, H. Graoui, G. Tsai and A. Mayur 237 (2005) 35
New method of Plasma doping with in-situ Helium pre-amorphization, Y. Sasaki, C.G. Jin, K. Okashita, H. Tamura, H. Ito, B. Mizuno, H. Sauddin, R. Higaki, T. Satoh, K. Majima, Y. Fukagawa, K. Takagi, I. Aiba, S. Ohmi, K. Tsutsui and H. Iwai 237 (2005) 41
Optimization of advanced PMOS junctions using Ge, B and F co-implants, H. Graoui, M. Hilkene, B. McComb, M. Castle, S. Felch, A. Al-Bayati, A. Tjandra and M.A. Foad 237 (2005) 46
Ultra shallow p^+/n junction formation by plasma doping (PD) and long pulse all solid-state laser annealing (ASLA) with selective absorption modulation, C.G. Jin, Y. Sasaki, K. Okashita, H. Tamura, H. Ito, B. Mizuno, K. Tsutsui, S. Ohmi and H. Iwai 237 (2005) 58
Application of ultra-high energy boron implantation for superjunction power (CoolMOS^{TM}) devices, J. von Borany, M. Friedrich, M. Rüb, G. Deboy, J. Butschke and F. Letzkus 237 (2005) 62
Implantation and annealing of aluminum in 4H silicon carbide, M. Rambach, F. Schmid, M. Krieger, L. Frey, A.J. Bauer, G. Pensl and H. Ryssel 237 (2005) 68
Formation of β-$FeSi_2$ by implanting multicharged iron ions produced in an ECR ion source, M. Tomida, Y. Kato and T. Asaji 237 (2005) 83
Diffusion of indium implanted in silicon: The effect of the pre-amorphisation treatment and of the presence of carbon, S. Gennaro, M. Barozzi, M. Bersani, B.J. Sealy and R. Gwilliam 237 (2005) 88
Comparison of elemental boron and boron halide implants into silicon, J.A. Sharp, R.M. Gwilliam, B.J. Sealy, C. Jeynes, J.J. Hamilton and K.J. Kirkby 237 (2005) 93

doi:10.1016/S0168-583X(05)01446-1

Implantation induced electrical isolation of sulphur doped GaN_xAs_{1-x} layers, S. Ahmed, J. Lin, A. Haq and B. Sealy 237 (2005) 102
Electrical activation of solid-phase epitaxially regrown ultra-low energy boron implants in Ge preamorphised silicon and SOI, J.J. Hamilton, E.J.H. Collart, B. Colombeau, C. Jeynes, M. Bersani, D. Giubertoni, J.A. Sharp, N.E.B. Cowern and K.J. Kirkby 237 (2005) 107
Investigation on boron transient enhanced diffusion induced by the advanced P^+/N ultra-shallow junction fabrication processes, F. Lallement and D. Lenoble 237 (2005) 113
Ultra shallow junction formation and dopant activation study of Ga implanted Si, R. Gwilliam, S. Gennaro, G. Claudio, B.J. Sealy, C. Mulcahy and S. Biswas 237 (2005) 121
Transient enhanced diffusion and deactivation of ion-implanted As in strained Si, G.D.M. Dilliway, A.J. Smith, J.J. Hamilton, J. Benson, L. Xu, P.J. McNally, G. Cooke, H. Kheyrandish and N.E.B. Cowern 237 (2005) 131
Merits and demerits of light absorbers for ultra-shallow junction formation by green laser annealing, A. Matsuno, E. Takii, T. Eto, K.-i. Kurobe and K. Shibahara 237 (2005) 136
Reducing ultra-shallow boron diffusion using carbon and fluorine co-implantation, A. Vanderpool and M. Taylor 237 (2005) 142
Poly-Si gate engineering for advanced CMOS transistors by germanium implantation, H. Bourdon, M. Juhel, B. Oudet, N. Breil and D. Lenoble 237 (2005) 148
The effects of energy non-monochromaticity of ^{11}B ion beams on ^{11}B diffusion, J. Chen, L. Shao, T. Lin, J. Liu and W.-K. Chu 237 (2005) 155
Nickel silicide formation on shallow junctions, Y.-L. Jiang, A. Agarwal, G.-P. Ru, G. Cai and B.-Z. Li 237 (2005) 160
Directional nickel silicide-induced crystallization of amorphous silicon channel under high-density current stressing, C.H. Yu, P.H. Yeh and L.J. Chen 237 (2005) 167
Enhanced thermal and morphological stability of $Ni(Si_{1-x}Ge_x)$ growth on BF_2^+-preamorphized $Si_{0.8}Ge_{0.2}$ substrate, J.H. He, W.W. Wu and L.J. Chen 237 (2005) 174
High-dose V^+ implantation in ZnO thin film structures, A.F. Vyatkin, V.I. Zinenko, Yu.A. Agaphonov, A.N. Pustovit, D.V. Roshchupkin, F. Reuss, C. Kirchner, R. Kling and A. Waag 237 (2005) 179
Influence of co-implantation on the activation and diffusion of ultra-shallow extension implantation, M. Herden, D. Gehre, T. Feudel, A. Wei, M. Bersani, G. Mannino and J.v.d. Berg 237 (2005) 203
Manufacturability of fully ion implanted planer-doped-barrier diodes in GaAs, R. Gwilliam, Y.Y. Wang, M.J. Kelly and M.J. Kearney 237 (2005) 208
Thermal stability enhancement of silicides by using N_2 and Ar implantation, T. Luoh, M. Liou, H.-W. Liu, C.-T. Su, Y.-T. Hung, L.-W. Yang, C.-T. Huang, K.-C. Chen, H. Chung, J. Ku and C.-Y. Lu 237 (2005) 213
Formation of high-quality and relaxed SiGe buffer layer with H-implantation and subsequent thermal annealing, K.F. Liao, P.S. Chen, S.W. Lee, L.J. Chen and C.W. Liu 237 (2005) 217
Characterization of polysilicon thin-film transistors with asymmetric source/drain implantation, M.S. Shieh, Y.J. Lin, C.M. Yu and T.F. Lei 237 (2005) 223
Very high uniformity mass analysed large area ion implantation, D. Aitken 237 (2005) 250
Enhancement of *c*-axis texture of AlN films by substrate implantation, C.H. Chen, J.M. Yeh and J. Hwang 237 (2005) 290
Post-annealing effects on shallow-junction characteristics caused by 20 keV BGe molecular ion implantation, J.H. Liang, Y.J. Sang, C.-H. Wang, T.W. Wang, J.Y. Hsu, H. Niu and M.S. Tseng 237 (2005) 312
Implant process control: Going beyond particles and RS, D.C. Sing and M.J. Rendon 237 (2005) 318
Improvements of anti-corrosion and mechanical properties of NiTi orthopedic materials by acetylene, nitrogen and oxygen plasma immersion ion implantation, R.W.Y. Poon, J.P.Y. Ho, X. Liu, C.Y. Chung, P.K. Chu, K.W.K. Yeung, W.W. Lu and K.M.C. Cheung 237 (2005) 411
Surface modification of polymeric materials by plasma immersion ion implantation, R.K.Y. Fu, I.T.L. Cheung, Y.F. Mei, C.H. Shek, G.G. Siu, P.K. Chu, W.M. Yang, Y.X. Leng, Y.X. Huang, X.B. Tian and S.Q. Yang 237 (2005) 417
Formation of almost delta-layered nanoparticles in SiO_2 thin film on Si substrate by metal negative-ion implantation, J. Ishikawa, H. Tsuji, N. Arai, T. Matsumoto, K. Ueno, K. Adachi, H. Kotaki and Y. Gotoh 237 (2005) 422
Silver negative-ion implantation to sol–gel TiO_2 film for improving photocatalytic property under fluorescent light, H. Tsuji, N. Sakai, H. Sugahara, Y. Gotoh and J. Ishikawa 237 (2005) 433
Decaborane implantation with the medium current implanter, N. Hamamoto, S. Umisedo, T. Nagayama, M. Tanjyo, S. Sakai, N. Nagai, T. Aoyama and Y. Nara 237 (2005) 443
Morphological evolution of surfaces irradiated by gas cluster ion beams during thin film deposition, S. Inoue, N. Toyoda, H. Tsubakino and I. Yamada 237 (2005) 449
Immobilization of extracellular matrix on polymeric materials by carbon-negative-ion implantation, H. Tsuji, P. Sommani, T. Muto, Y. Utagawa, S. Sakai, H. Sato, Y. Gotoh and J. Ishikawa 237 (2005) 459
Nanostructure and adhesion of electroless-plated Cu film on the self-catalyzed Cu using metal-plasma ion implanter, U.-S. Chen, W.-J. Hsieh, H.C. Shih, Y.-S. Chang, K.-W. Weng and D.-Y. Wang 237 (2005) 470

Surface hardening of poly(methyl methacrylate) by electron irradiation, S.O. Cho and H.Y. Jun 237 (2005) 525
The application of energetic CH_x^+ ions to form a Si/SiC multilayer system for reflection of radiation between 20 and 80 nm, S. Dobrovolskiy, A.E. Yakshin, M.J.H. Kessels and J. Verhoeven 237 (2005) 533
Phase formation in nitrogen ion implanted Ti–Al–Zr alloy and modification of corrosion property, Y.Z. Liu, X.T. Zu, J. Cao, L. Wang, C. Li and X.Q. Huang 237 (2005) 543

Effects of Radiation

Electrical characteristics due to differences in crystal damage induced by various implant conditions, G. Fuse, M. Sano, H. Murooka, T. Yagita, M. Kabasawa, T. Siraishi, Y. Fujino, N. Suetsugu, H. Kariya, H. Izutani and M. Sugitani 237 (2005) 77
Damage effect of fluorine implantation on PECVD α-SiOC barrier dielectric, F.M. Yang, T.C. Chang, P.T. Liu, C.W. Chen, Y.H. Tai and J.C. Lou 237 (2005) 301
Characterization and reduction of a new particle defect mode in sub-0.25 μm semiconductor process flows, L. Pipes, M. Taylor, G. Zietz, A. Al-Bayati, M. Castle, T. Marin and J. Simmons 237 (2005) 330
Effects of implantation energy and annealing temperature on the structural evolution of Ge^+-implanted amorphous Si, J.H. He, H.H. Lin, W.W. Wu and L.J. Chen 237 (2005) 384
Morphology modifications of quantum dots on Si(0 0 1) surface by ion sputtering, H.C. Chen, C.M. Huang, K.F. Liao, S.W. Lee, C.H. Hsu and L.J. Chen 237 (2005) 465
Crystal growth in EPDM by chemi-crystallisation as a function of the neutron irradiation dose and flux level, O.A. Lambri, L.M. Salvatierra, F.A. Sánchez, C.L. Matteo, P.A. Sorichetti and C.A. Celauro 237 (2005) 550
Experimental determination of track cross-section in $Gd_3Ga_5O_{12}$ and comparison to the inelastic thermal spike model applied to several materials, A. Meftah, J.M. Costantini, N. Khalfaoui, S. Boudjadar, J.P. Stoquert, F. Studer and M. Toulemonde 237 (2005) 563
Effect of ion irradiation on the interdiffusion growth of aluminide phases in Ti–Al diffusion couple, S.E. Romankov, A. Mamaeva, E. Vdovichenko and E. Ermakov 237 (2005) 575
Effect of γ-radiation on the structure and morphology of polyvinyl alcohol films, N.V. Bhat, M.M. Nate, M.B. Kurup, V.A. Bambole and S. Sabharwal 237 (2005) 585
MeV-atomic-ion-induced tracks on the surface of CaF_2 single crystal, I.V. Vorobyova and J. Kopniczky 237 (2005) 593

Analysis of Materials

Dopant profiling of ultra shallow As implanted in Si with and without spike annealing using medium energy ion scattering, S. Abo, S. Ichihara, T. Lohner, F. Wakaya, T. Eimori, Y. Inoue and M. Takai 237 (2005) 72
Langmuir probe analysis of a BF_3 discharge in a high current ion source, J. Mefo, B.J. Sealy, E.J.H. Collart, D.G. Armour and R. Gwilliam 237 (2005) 245
Characterization of Pt oxide thin film fabricated by plasma immersion ion implantation, Y.-C. Chen, Y.-M. Sun, S.-Y. Yu, C.-P. Hsiung, J.-Y. Gan and C.-S. Kou 237 (2005) 296
Determination of nitrogen-related defects in N-implanted ZnO films by dynamic cathodoluminescence, Y.F. Mei, G.G. Siu, R.K.Y. Fu, K.W. Wong, P.K. Chu, C.W. Lai and H.C. Ong 237 (2005) 307
Carrier illumination measurement of dopant lateral diffusion, E. Budiarto, M. Segovia, P. Borden and S. Felch 237 (2005) 324
Low energy electron induced X-ray emission spectrometry (LEXES) and secondary ion mass spectrometry (SIMS) sensitivity studies to ultra shallow arsenic implants, H. Graoui, G. Conti, M. Hilkene, B. McComb, A. Tjandra, M.A. Foad, D. Kouzminov, J. Hunter, C.J. Hitzman and C.A. Evans 237 (2005) 336
Ultra-shallow junction (USJ) sheet resistance measurements with a non-penetrating four point probe, M.C. Benjamin, R.J. Hillard and J.O. Borland 237 (2005) 351
Analyzing nitrogen concentration using carrier illumination (CI) technology for DPN ultra-thin gate oxide, W.S. Li, B. Wu, A. Fan, C.W. Kuo, M. Segovia and H.A. Kek 237 (2005) 356
In-line implant and RTP process monitoring using the carrier illumination technique, W.S. Li, H.K. Lim, A. Fan, C.W. Kuo, M. Segovia and H.A. Kek 237 (2005) 361
Ultra-high resolution mass spectroscopy of boron cluster ions, D. Jacobson, T. Horsky, W. Krull and B. Milgate 237 (2005) 406
A practical method for measuring the boron equivalent of graphite impurity, A. Bolewski Jr., M. Ciechanowski, A. Dydejczyk and A. Kreft 237 (2005) 602
Influence of the primary ion beam profile and the energy analyzer optics to the LEIS spectra: the analytical study, N. Bundaleski, Z. Ristić, M. Radović and Z. Rakočević 237 (2005) 613
Studies on surface composition and chemical states of calcium manganites, S. Kumar, V.S. Raju, S. Bera, K. Vijaynandhini and T.R.N. Kutty 237 (2005) 623

Determination of inverse electric field strength of $Ta_2{}^{18}O_5$ film produced in biological electrolytes using $^{18}O(p,\alpha)^{15}N$ nuclear reaction analysis, S.N. Wosu 237 (2005) 631

Ion Sources, Beam Optics and Accelerator Systems

An ECR ion source directly excited in a selected microwave mode cavity resonator for material processing, T. Asaji, H. Sasaki, H. Furuki, Y. Kato, S. Ishii, M. Kanazawa and J. Saito 237 (2005) 262
Production of multicharged iron and nitrogen ions and application to enhance photo-catalytic performance in visible light region on TiO_2 thin films, Y. Kato, T. Yoshinaga, M. Tomida and S. Kimpara 237 (2005) 267
Investigations into the wear of a WL10 ion source, V. Häublein, S. Sadrawetz, L. Frey, H.-P. Martinz and H. Ryssel 237 (2005) 341
Additional peaks in mass spectra due to charge exchange events and dissociation of molecular ions during extraction, V. Häublein, L. Frey and H. Ryssel 237 (2005) 346
Tuning for optimal performance in angle control, uniformity, and energy purity, R.B. Liebert, J.C. Olson, E.A. Arevalo and D.F. Downey 237 (2005) 365
Mass resolution: The effects of resolving aperture and beam width on beam current and energetic contamination, B.S. Freer, M.A. Graf, J.L. Chow, D.R. Tieger and C. Sohl 237 (2005) 372
In situ beam angle measurement in a multi-wafer high current ion implanter, B.S. Freer, R.N. Reece, M.A. Graf, T. Parrill and D. Polner 237 (2005) 378
Silicon field emission array as novel charge neutralization device for high current ion implanter, J. Ishikawa, Y. Gotoh, K. Nakamura, T. Kojima, H. Tsuji, T. Ikejiri, S. Sakai, S. Umisedo, N. Nagai, M. Nagao and S. Kanemaru 237 (2005) 390
Fundamental characteristics of liquid cluster ion source for surface modification, G.H. Takaoka, H. Noguchi, K. Nakayama, Y. Hironaka and M. Kawashita 237 (2005) 402
Off-resonance microwave ion source for high-current molecular ion-beams, N. Sakudo, N. Ikenaga, R. Nishimoto, Y. Tamashiro, T. Shinohara, H. Ito and T. Takahashi 237 (2005) 428
Development of 1 mA cluster ion beam source, T. Seki and J. Matsuo 237 (2005) 455
Plasma diagnostics of liquid He-free SC-ECR ion source (SHIVA) with use of laser ablation technique, M. Imanaka, T. Nakagawa, H. Arai, I. Arai and S.M. Lee 237 (2005) 647

Experimental Methods and Equipment

Ion implantation in advanced planar and vertical devices, H.-J.L. Gossmann 237 (2005) 1
Alternative USJ formation and characterization methods for 45 nm node technology, J.O. Borland 237 (2005) 6
90 nm device validation of the use of a single-wafer, high-current implanter for high tilt halo implants, S.B. Felch, M.A. Foad, C. Olsen, F. Nouri, Y. Matsunaga and N. Natsuaki 237 (2005) 53
Angled implants for controlling gate–source/drain extension: A TCAD modeling study, S. Thirupapuliyur, A. Al-Bayati, A. Jain and A. Mayur 237 (2005) 98
Advanced 65 nm CMOS devices fabricated using ultra-low energy plasma doping, S. Walther, D. Lenoble, F. Lallement, A. Grouillet, Y. Erokhin, V. Singh and A. Testoni 237 (2005) 126
Dual gate oxide integrity improvement by implementing nitrogen implantation technology, T. Luoh, J.-Y. Hsieh, L.-W. Yang, C.-T. Huang, K.-C. Chen, H. Chung, J. Ku and C.-Y. Lu 237 (2005) 183
New developments in the applications of proton beam writing, P. Mistry, I. Gomez-Morilla, G.W. Grime, R.P. Webb, R. Gwilliam, A. Cansell, M. Merchant, K.J. Kirkby, E.J. Teo, M.B.H. Breese, A.A. Bettiol, D.J. Blackwood and F. Watt 237 (2005) 188
The influence of the ion implantation temperature and the flux on smart-cut© in GaAs, M. Webb, C. Jeynes, R.M. Gwilliam, Z. Tabatabaian, A. Royle and B.J. Sealy 237 (2005) 193
Investigation of silicon-on-insulator (SOI) substrate preparation using the smart-cut™ process, D.S. Chao, D.Y. Shu, S.B. Hung, W.Y. Hsieh and M.-J. Tsai 237 (2005) 197
Transistor challenges – A DRAM perspective, J.W. Faul and D. Henke 237 (2005) 228
Gas cluster ion beams for wafer processing, M.E. Mack 237 (2005) 235
Development of polyatomic ion beam system using liquid organic materials, G.H. Takaoka, Y. Nishida, T. Yamamoto and M. Kawashita 237 (2005) 240
ECR multi-charged ion source directly excited in a circular TE_{01} mode cavity resonator, Y. Kato, H. Furuki, T. Asaji, H. Sasaki and S. Ishii 237 (2005) 256
Mass and energy analysis of the ions in a plasma flood system, A.C. Wooding, D.G. Armour, J.A. van den Berg, A.J.T. Holmes, C. Burgess and R.D. Goldberg 237 (2005) 273

Ion implantation of boron into silicon by use of the boron cathodic-arc plasma generator: First results, J.M. Williams, C.C. Klepper and R.C. Hazelton 237 (2005) 278
Approaches to single wafer high current ion implantation, A. Renau 237 (2005) 284
Flat panel display – Impurity doping technology for flat panel displays, T. Suzuki 237 (2005) 395
Characterization of BF_2^+ implanted monitor for rapid thermal processor temperature calibration, V.F. Drobny and D. Robinson 237 (2005) 438
Characterization of copper metallization for interconnect by 90°-bend electromagnetic filtered vacuum arc, U.-S. Chen and H.C. Shih 237 (2005) 477
Characterisation of a new VUV beamline at the Daresbury SRS using a dispersed fluorescence apparatus incorporating CCD detection, C.R. Howle, S. Ali, R.P. Tuckett, D.A. Shaw and J.B. West 237 (2005) 656